








interaction.



UNI-9 allows you to connect with Ishida table to wrapping machine.



# UNIQUE

MULTI SPEED SELECTOIN FROM 80mm/sec up to a max of 150mm/sec (Print quality may vary depending on paper quality)

2D barcode on label or receipt allowing customer to easily access WEB info.

Standard Ishida fonts with the possibility to print even true type fonts and extra large fonts for promotional prices.

Link product images to a PLU to show or customer display and print the exact same image on the label.








## **OPTIONS**

Several optional peripherals are available for UNI-9 series : External Ethernet Printer,

USB scanner, SD card, CASH drawer, Cassette (max7units) allowing different label sizes and/or formats to easily changed by swapping cassttes. Wi-Fi remote platform and wireless platter.











Remote scale (30kg)

Remote scale

Big tray

Wi-Fi device

Scale connetion cable (2m)

Serial port cable

SD card

## KEMOTE MAINTENANCE

With the possibility of remote service maintenance, the UNI-9 series reduces down time operation thanks to easy connectivity for software service support via ethernet or Wi-Fi.





## **GREEN**

### **Energy DOWN**

Using a SOLIDSTATE DRIVE (SSD) instead of a normal hard disk drive, the UNI-9 consumes less battery and receives hard disk failure as the SSD has no mechanical movement.



#### Waste **DOWN**

Linerless cassstte receives the amount of backing paer to zero, increased the paper amount by twice thus making the UNI-9 greener than ever.

#### Lead **GRED**

All UNI-9 models fully comply with RoHS regulations thus making it total lead free.

